

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((("6160568") or ("6211485") or ("5172326")).PN.	USPAT; USOCR	OR	OFF	2008/09/03 10:59
L2	694	laser near2 (light beam) same (laser light beam) near3 (mark\$3 cod\$3 engrav \$4 etch\$4 print\$4) with (glass ampoule syringe bottle vial pharmaceutical pill tablet medicine medication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:15
L3	63	2 and (laser with (wip \$3 rub\$4 proof resistanc \$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:18
L4	1	2 and (laser with (wip \$3 rub\$4) with (proof resistanc\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:18
L5	3	2 and (laser with (wip \$3 rub\$4) with (remov \$4 proof resistanc\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:18
L6	3	2 and (laser with cannot adj2 remov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:19
L7	6	2 and (laser with (durable durability) near2 mark\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:25
L8	3	1 and puls\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:26

L9	2	1 and puls\$4 and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:27
L10	1	1 and puls\$4 and wavelength with nm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:27
L11	1	1 and puls\$4 and wavelength with (nm nano\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:28
L12	12	("20030176987"   "5172326"   "6160568"   "6160835"   "6211485"   "6291551").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:29
L13	2	1 and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:30
L15	22	excimer with laser with wavelength with nm with "380"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:33
L16	8	"10050263"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:12
L17	5	"0354362"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:13
L18	1	ep adj "354362"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:13

L19	1	1 and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:35
L20	3	1 and (computer database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:36
L21	0	1 and (computer database) same inspect \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:37
L22	1	1 and (computer database) and inspect \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:37
L23	3	1 and (reject\$4 separa \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:38
L24	1	1 and detect\$4 with position\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:47
L25	1	1 and etched adj window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:51
L26	0	textur\$4 adj2 surface near2 (disk disc) with marking near2 laser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:55
L27	1	textur\$4 adj2 surface near2 (disk disc) and marking near2 laser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:55
L28	3	laser with textur\$4 with surface with (disk disc) and marking near2 laser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 12:56

L29	0	2 and (laser with mark \$3 with difficult\$2 near2 remov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 13:20
L30	0	2 and (laser with mark \$3 with problem\$4 near2 remov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 13:20
L31	17	2 and (laser near5 (durable durability))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 13:21
S1	4403	laser with (mark\$3 cut \$4 etch\$4 scribe\$3) with (glass ampoule syringe bottle vial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 10:33
S2	51	S1 and laser with puls \$5 and (laser beam path) with (deflect\$4 mirror reflect\$4) and ((mark\$3 cut\$4 etch\$4 scribe\$3) near3 (compare\$5 reject\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 10:41
S3	36	S2 and ((mark\$3 cut\$4 etch\$4 scribe\$3) near3 (coat\$3 layer\$3 deposit \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 10:42
S4	3	S3 and ((mark\$3 cut\$4 etch\$4 scribe\$3) with transport\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 10:44
S5	11	S3 and ((mark\$3 cut\$4 etch\$4 scribe\$3) with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 10:54
S6	4	S2 and ((mark\$3 cut\$4 etch\$4 scribe\$3) with path) not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:01

S7	11	S1 and (mark\$3 cut\$4 etch\$4 scrib\$3) same wavelength with (nm nanom\$5) with "380"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:05
S8	55	laser with (mark\$3 cut\$4 etch\$4 scrib\$3) same wavelength with (nm nanom\$5) with "380"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:09
S9	30	laser with (mark\$3 cut\$4 etch\$4 scrib\$3) with wavelength with (nm nanom\$5) with "380"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:06
S10	21	laser with (mark\$3 etch\$4 scrib\$3) with wavelength with (nm nanom\$5) with "380"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:07
S11	19	laser with (mark\$3 scrib\$3) with wavelength with (nm nanom\$5) with "380"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:07
S12	18	laser with mark\$3 with wavelength with (nm nanom\$5) with "380"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:08
S13	1	S11 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:08
S14	10	laser with (mark\$3 cut\$4 etch\$4 scrib\$3) same wavelength with (nm nanom\$5) with "380" same (glass ampoule syringe bottle vial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:11
S15	11	laser with (mark\$3 cut\$4 etch\$4 scrib\$3) same wavelength with (nm nanom\$5) with ("380" "160") same (glass ampoule syringe bottle vial) not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:12

S16	12	laser with (mark\$3 cut \$4 etch\$4 scribe\$3) same wavelength with (nm nanom\$5) with ("380" "160" "157") same (glass ampoule syringe bottle vial) not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:13
S17	1	S16 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:12
S18	2	laser with (mark\$3 etch \$4 scribe\$3) same wavelength with (nm nanom\$5) with ("380" "160" "157") with glass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:14
S19	51	laser with (mark\$3 etch \$4 scribe\$3) with glass and wavelength with (nm nanom\$5) with ("380" "160" "157")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:34
S20	4	laser with (mark\$3 etch \$4 scribe\$3) same reject \$4 near\$3 (separate\$3 discard\$4 remove\$4 garbage junk\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:23
S21	0	laser with (mark\$3 etch \$4 scribe\$3) with simultaneous\$4 near\$2 transport\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:34
S22	3	laser with (mark\$3 etch \$4 scribe\$3) with simultaneous\$4 with transport\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:35
S23	41	laser with simultaneous \$4 with transport\$4 and laser with (mark\$3 etch\$4 scribe\$3 cut\$4 machining)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:36
S24	2	laser with simultaneous \$4 near\$2 transport\$4 and laser with (mark\$3 etch\$4 scribe\$3 cut\$4 machining)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:37

S25	220	laser with simultaneous \$4 near2 (transport\$4 mov\$5 motion) and laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:38
S26	148	laser with simultaneous \$4 near (transport\$4 mov\$5 motion) and laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:54
S27	1114	laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) same cod	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:55
S28	41	laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) same cod with scatter\$4 near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 11:56
S29	11	laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) same cod near3 detect\$4 with scatter\$4 near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:00
S30	0	laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) same cod near3 (detect\$4 monitor\$4) near4 (back rear opposite backside) near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:01
S31	11	laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) and cod near3 (detect\$4 monitor\$4) near4 (back rear opposite backside) near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:04
S32	0	laser with (mark\$3 etch \$4 scrib\$3 cut\$4 machining) and camera near3 (detect \$4 monitor\$4) near4 (back rear opposite backside) near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:04

S33	0	laser with (mark\$3 etch \$4 scribe\$3 cut\$4 machining) and (camera video vision) near3 (detect\$4 monitor\$4) near4 (back rear opposite backside) near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:05
S34	7	laser with (mark\$3 etch \$4 scribe\$3 cut\$4 machining) and (camera video vision) with (detect\$4 monitor \$4) near4 (back rear opposite backside) near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:08
S35	40	laser with (mark\$3 etch \$4 scribe\$3 cut\$4 machining) and (camera video vision) with (detect\$4 monitor \$4) near4 through\$3 near2 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 12:08

9/ 3/ 2008 1:36:29 PM

C:\Documents and Settings\Sheinrich\My Documents\EAST\Workspaces\10518368.wsp